



Puncto 4203-Pendelleuchte

Puncto 4203-Pendelleuchte

Handgemacht von hochqualifizierten Handwerkern in Finnland aus PEFC-zertifizierter, formgepresster Birke.

Ausführungen

Birke natur	●	Weißes Textilkabel + Deckendose
Weiß laminiert	○	Weißes Textilkabel + Deckendose
Schwarz laminiert	●	Schwarzes Textilkabel + Deckendose
Walnussfurnier	●	Weißes Textilkabel + Deckendose

Produktdetails

Material	Formgepresste Birkenlamellen
Größen	Höhe 40 cm Durchmesser Ø 45 cm Gewicht 1,2 kg Verpackung 49 × 49 × 46 cm, 3,0 kg
Lichtquelle	Socket E27, LED max. 20 W. Ausgeliefert mit LED-Lampe (Airam Pro LED, E27, 12 W, 1060 Lumen, 3000 K, reinweiß, dimmbar, Abweichungen möglich). Die Verwendung von speziellen Leuchtmitteln wie Halogen-, Spiegel- oder 12-V-Lampen in Leuchten von Secto Design ist wegen Überhitzungsgefahr verboten.
DALI	Kann an DALI-Systemen befestigt werden, separater Dimmer mit DALI-konformem Phasenabschnitt. Aufgrund der starken Abweichungen bei den DALI-Systemen hat Secto Design keine DALI-Dimmer im Angebot. Setzen Sie sich mit Ihrem Elektriker in Verbindung.
Kabel	150 cm, Textilkabel, Deckenstecker/-anschluss, Deckendose.
Klassifikation	Schutzart IP20

Pflege

IEC Schutzklasse II

CE-Kennzeichnung

Regelmäßig Staub wischen. Zur Entfernung frischer Flecken Tuch leicht anfeuchten.



Puncto 4203 pendant lamp

Puncto 4203 pendant lamp

Handmade of PEFC-certified formpressed birch in Finland by highly skilled craftsmen.

Finishing options

Natural birch	●	White textile cable + ceiling cup
White laminated	○	White textile cable + ceiling cup
Black laminated	●	Black textile cable + ceiling cup
Walnut veneer	●	White textile cable + ceiling cup

Product details

Material	Formpressed birch slats
Sizes	Height 40 cm Diameter Ø 45 cm Weight 1,2 kg Package 49 × 49 × 46 cm, 3,0 kg
Light source	E27 base, LED max 20 W. Comes with a LED bulb (Airam Pro LED, E27, 12 W, 1060 lumen, 3000 K, pure white, dimmable, may vary). The use of special bulbs such as halogen, mirror or 12 V bulbs in Secto Design lamps is prohibited, due to overheating.
DALI	Attachable to DALI systems with a separate DALI-compatible trailing edge (phase cut off) type dimmer. Due to great variation in DALI systems, Secto Design does not supply DALI-dimmers. Please contact your local electrician.
Cable	150 cm, textile cable, ceiling plug/connector, ceiling cup
Classification	Ingress Protection IP20, IEC Protection Class II, CE marking
Maintenance	Wipe dust regularly. To remove fresh stains wipe with a slightly moist cloth.